

Highlights

- Offers easy-to-own, easyto-use, easy-to-grow flexibility
- Provides affordable, enterprise-grade functionality and performance
- Leverages AI, analytics and blockchain technologies from IBM

Smart storage solutions for any workload

IBM Storwize V5010E and IBM Storwize V5030E offer the performance, functionality and cost-efficiency demanded by entry and midrange workloads.

Leading-edge technologies such as artificial intelligence (AI), real-time analytics, and blockchain demand new levels of IT infrastructure performance and functionality for many reasons, but top of the list is because by their very nature they produce and consume enormous amounts of data.¹

Leveraging the power of AI and blockchain, along with many other 21st-century technologies, requires a modern IT infrastructure with wide-ranging capabilities, from intelligent system optimization and powerful data reduction, through comprehensive security and encryption features, to multicloud architectures and ultra-low latency flash storage. These demands can be especially challenging in environments with smaller and midsized application workloads, because organizations with smaller workloads quite often operate with smaller IT budgets.

Because capital funds are at a premium, businesses need to preserve and extend their current investments in IT infrastructure, while upgrading outdated features. So, payas-you-go strategies become especially attractive. Data security can't be compromised. Agility may be even more important than ever before, so infrastructure flexibility and scalability are crucial.



IBM Storwize V5000 storage systems are designed specifically to address entry to midsized workloads. These storage solutions are focused on affordability with a wide range of enterprisegrade features that can easily evolve as your business grows. And you can even choose to extend award-winning software-defined storage functionality across all your existing systems to optimize current IT investments while building a leading-edge, multicloud-capable business platform.



IBM Storwize V5000E

A family of affordable, enterprise-grade storage solutions

The IBM Storwize family provides especially powerful solutions for modern organizations with midsized application workloads and limited budgets that are seeking to gain competitive advantage from their data assets. With comprehensive storage services and capabilities based on market-leading IBM Spectrum Virtualize technologies, Storwize offers feature-rich, affordable storage solutions for 21st-century enterprises looking to grow and thrive.

Market-leading functionality

IBM Storwize V5000 storage systems are designed to provide the entry-level and midrange solutions within the overall Storwize family. Storwize V5000 technology has recently been refreshed, with a focus on significant innovation. Now, Storwize V5000 offerings include IBM Storwize V5010E, designed for entry-level storage requirements, and IBM Storwize V5030E, with increased functionality and performance for midrange workloads.



The new Storwize V5000 models offer even greater affordability than before, with a wide range of performance and feature options:

- *IBM Storwize V5010E* is an entry-level solution focused on affordability and ease of deployment and operation, with powerful scale-up features. It includes many IBM Spectrum Virtualize features and offers multiple flash and disk drive storage media and expansion options.
- *IBM Storwize V5030E* provides greater functionality, including powerful encryption capabilities and data reduction pools with compression, deduplication, thin provisioning, and the ability to cluster for scale up and out.

More than ever before, Storwize V5000 models are easy to buy, easy to use and easy to grow:

- Storwize V5010E and Storwize V5030E are **easy to buy** because they are simple. Just one thing to order and you get a storage solution ready to install and run. Also, with the IBM Storage Utility Offering cloud-like pricing, you pay as you grow. Get the ultimate in flexibility with this new way to procure data capacity with instant-on access. This offering allows you to predict monthly data capacity costs and pay only for the capacity you need, whether your data grows or shrinks. Drive capital costs over to the operational side of your budget ledger and save on the way. No need to over-purchase or lease large amounts of capacity for "just in case" needs. Simply use the data that your business needs and the IBM Storage Utility Offering will take care of the rest.
- They're **easy to deploy**, with enterprise-grade capabilities such as AI-powered IBM Easy Tier functionality that ensures your data is on the right type of storage—automatically. All IBM storage solutions are supported by AI-enhanced IBM Storage Insights that monitors your storage environment, so you don't have to. It lets you know when something needs your attention and can even recommend what to do. And when support from IBM is needed, Storage Insights helps streamline your experience.
- They're **easy to grow** because you can quickly and easily add capacity without disruption. A single Storwize V5010E array can scale up to the size of a Storwize V5030E array with 760 drives per system, and up to 1,520 drives in two-way clustered systems. They work with your applications today, and the ones you will develop tomorrow, to address workloads using new technologies such as containers and multicloud architectures.



Enhanced storage capabilities

All Storwize solutions leverage the proven capabilities of IBM Spectrum Virtualize software-defined storage (SDS) for storage management. IBM is the number-one SDS vendor in the industry. IBM Spectrum Virtualize enables applications to run without disruption, even when changes are made to the storage infrastructure.

IBM Spectrum Virtualize has been helping enterprises improve infrastructure flexibility and data economics for more than 15 years. When virtualized, data in a storage system becomes part of the Storwize solution, and it can be managed in the same way as internal Storwize system drives. Data in external systems inherits all the Storwize functional richness and ease-of-use features, including advanced replication, high-performance thin provisioning, encryption, compression, deduplication and Easy Tier functionality. Depending on the Storwize model and the options you choose, IBM Spectrum Virtualize can deliver a wide spectrum of sophisticated storage functionality, including:

- IBM HyperSwap for nondisruptive application and data mobility between data centers
- Support for host-side virtualization solutions, including VMware virtual machines, Microsoft Hyper-V and IBM PowerVM, among others
- Support for more than 440 external storage systems from a wide variety of vendors
- Powerful data reduction pool technology that includes deduplication, compression and automated thin provisioning
- Easy Tier automated tiering functionality
- IBM FlashCopy and IBM Remote Mirror for local and remote replication
- Support for using cloud resources to complement on-premises storage
- Three-site data replication capabilities

Data availability is crucially important to business, because downtime causes immediate business impacts, including loss of customer loyalty and significant financial costs. Storwize V5010E and Storwize V5030E can deliver "six nines" (99.9999%) data availability. These systems are designed for high availability, with no single point of failure, enterprise-proven control software, and nondisruptive maintenance. In addition, cloud-based Storage Insights functionality available with Storwize V5030E helps detect configuration errors to further improve availability.



To further enhance data protection and system recoverability, IBM has also included three-site replication on the Storwize V5030E array using a combination of FlashCopy and remote copy. This IBM Spectrum Virtualize-powered three-site replication capability runs data copies at both metro and global distances to offer a variety of recovery point and time options.

Increased efficiency

Available with the Storwize V5030E model, data reduction pools help transform the economics of data storage. When applied to new or existing storage, they can significantly increase usable capacity while maintaining consistent application performance. This can help eliminate or drastically reduce costs for storage acquisition, rack space, power, and cooling, and can extend the useful life of existing storage assets. Capabilities include:

- Block deduplication that works across all the storage in a data reduction pool to minimize the number of identical blocks
- New compression technology that provides guaranteed consistent 2:1 or better reduction performance across a wide range of application workload patterns
- SCSI UNMAP support that deallocates physical storage when operating systems delete logical storage constructs such as files in a file system

Improved data mobility

AI-enhanced Easy Tier provides automatic migration of frequently accessed data to high-performance flash storage or multiple tiers of disk drives, enhancing storage efficiencies. Operating at very fine granularity, the optional Easy Tier function automatically moves data to the optimal storage type based on input/output patterns and drive characteristics, requiring no administrative interaction.

Extended data protection

To help protect sensitive data from unauthorized users, Storwize V5030E gives IT teams the full power of storage encryption. In addition to placing encryption inside hardware arrays, IBM Spectrum Virtualize includes encryption capabilities in its management layer.



Innovative virtualization and container technologies

IBM Spectrum Virtualize in Storwize V5000 systems complements server virtualization with technologies such as PowerVM, Microsoft Hyper-V, VMware vSphere, and the container technologies Kubernetes and Docker.

Similar to virtualized servers, provisioning Storwize V5000 capacity is achieved with software and thin provisioning and is designed to be an almost entirely automated function. Without these technologies, provisioning servers could be slowed by the need to provision storage.

Containers enable applications to be packaged with everything needed to run identically in any environment. They offer the versatility of virtual machines, but at a much smaller footprint and cost. As a result, containerization is a key enabling technology for flexibly delivering workloads to private and public cloud and DevOps. Using the IBM storage container plug-in framework, Storwize V5000 systems can enable any supported storage to be used as persistent storage in Docker and Kubernetes container environments, improving flexibility, simplifying deployment, and lowering costs while offering enterprises the confidence of deploying stateful containers using highly available storage with enterprise capabilities.

Greater storage visibility, insight and control

Because data is the resource that drives your business, storage systems take on even greater importance. IBM Storage Insights and IBM Storage Insights Pro provide critical capabilities that enhance your experience with IBM storage, including:

- A single dashboard so you can see the status of all the block storage under management at a glance
- Trend information about capacity and performance so you can make better and more informed decisions
- Storage health information that helps you bring your configuration in line with best practices
- When support is needed, the ability to easily open a ticket, upload log information, and view open tickets
- Detailed configuration data available to IBM specialists to help close tickets quickly



Delivered as a service from IBM Cloud at no charge, Storage Insights is quick and easy to set up and requires no ongoing software maintenance. Storage Insights Pro is an upgrade that provides more detailed information and additional capabilities.

Powerful added features

In addition to the many features and capabilities noted above, Storwize V5000 systems include:

- Innovative management capabilities, to ease storage management
- High-availability configurations with HyperSwap for Storwize V5030E
- FlashCopy function and remote mirroring to create copies of data for back up and disaster recovery
- Dual clustering for Storwize V5030E, to enable growth from smaller configurations
- Options to nondisruptively upgrade in the field from Storwize V5010E to Storwize V5030E, providing investment protection with the ability to grow capacity and performance in the same footprint
- High-density expansion enclosures, which can hold up to 92 drives and 2.8 PB in a 5U form factor
- The option to add IBM Spectrum Virtualize for Public Cloud to enable data migration between on-premises and public cloud storage as well as the use of public cloud for disaster recovery
- Support for OpenStack Cinder, which helps automate storage provisioning and volume management for organizations by combining the efficiency of Storwize V5000 with the OpenStack Compute cloud platform

¹ "Deep Learning (deep neural network)," *TechTarget.com*, Accessed March 2019. https://searchenterpriseai.techtarget.com/definition/deep-learning-deep-neural-network

² "IBM Ranked # 1 in Worldwide Software-Defined Storage Software Market," *IBM Corporation*, April 2017. http://www-03.ibm.com/press/us/en/pressrelease/52189.wss



IBM Storwize V	5000 at a glance	
Specifications	IBM Storwize V5030E with IBM Spectrum Virtualize Software	IBM Storwize V5010E with IBM Spectrum Virtualize Software
User interface	Web-based GUI	Web-based GUI
Single or dual controller	Dual (Active/Active)	Dual (Active/Active)
Connectivity (standard)	10 Gb iSCSI (On the motherboard)	1 Gb iSCSI (On the motherboard)
Connectivity (optional)	 16 Gb/s Fibre Channel 12 Gb/s SAS 25 Gb/s iSCSI (iWARP or RoCE) 10 Gb/s iSCSI 	 16 Gb/s Fibre Channel 12 Gb/s SAS 25 Gb/s iSCSI (iWARP or RoCE) 10 Gb/s iSCSI
Cache/system	32 GB or 64 GB	16 GB, 32 GB or 64 GB
Drives supported	Small form-factor 2.5-inch disk drives: • 900 GB, 1.2 TB, 1.8 TB and 2.4 TB @ 10k rpm • 2 TB @ 7.2k rpm SAS nearline Large form-factor 3.5-inch disk drives: • 900 GB, 1.2 TB, 1.8 TB and 2.4 TB @ 10k rpm, SAS (2.5-inch drive in a 3.5-inch drive carrier) • 4 TB, 6 TB, 8 TB, 10 TB, 12 TB, 14 TB @ 7.2k rpm 2.5-inch flash drives: • 800 GB, 1.92 TB, 3.84 TB, 7.68 TB, 15.36 TB and 30.72 TB	Small form-factor 2.5-inch disk drives: • 900 GB, 1.2 TB, 1.8 TB and 2.4 TB @ 10k rpm • 2 TB @ 7.2k rpm SAS nearline Large form-factor 3.5-inch disk drives: • 900 GB, 1.2 TB, 1.8 TB and 2.4 TB @ 10k rpm, SAS (2.5-inch drive in a 3.5-inch drive carrier) • 4 TB, 6 TB, 8 TB, 10 TB, 12 TB, 14 TB @ 7.2k rpm 2.5-inch flash drives: • 800 GB, 1.92 TB, 3.84 TB, 7.68 TB, 15.36 TB and 30.72 TB
Maximum drives supported	Maximum of 760 drives per system and 1,520 drives in two-way clusters: • Small form-factor enclosure: 24 x 2.5-inch drives • Large form-factor enclosure: 12 x 3.5-inch drives • High-density expansion enclosure: 92 x 3.5-inch drives	Maximum of 392 drives per system: • Small form-factor enclosure: 24 x 2.5-inch drives • Large form-factor enclosure: 12 x 3.5-inch drives • High-density expansion enclosure: 92 x 3.5-inch drives
Maximum expansion enclosure capacity	 Up to 20 standard expansion enclosures per controller Up to 8 high-density expansion enclosures per controller 	 Up to 10 standard expansion enclosures per controller Up to 4 high-density expansion enclosures per controller
RAID levels	RAID 0, 1, 5, 6, 10, Distributed	RAID 0, 1, 5, 6, 10, Distributed
Fans and power supplies	Fully redundant, hot-swappable	Fully redundant, hot-swappable
Rack support	Standard 19-inch	Standard 19-inch
Advanced functions included with each system	 Virtualization of internal storage Data reduction pools with thin provisioning, UNMAP, compression and deduplication One-way data migration Dual-system clustering 	 Virtualization of internal storage Data reduction pools with thin provisioning and UNMAP One-way data migration



Additional available advanced functions	 (90-day trial available except encryption) Easy Tier FlashCopy Remote mirroring Encryption 	(90-day trial available except encryption) Easy Tier FlashCopy Remote mirroring
Size	8.7 cm (3.4 in.) H x 48.3 cm (19.0 in.) W x 55.6 cm (21.9 in.) D Approximate weight: • Large form-factor control enclosure: • Empty: 18.0 kg (39.6 lb) • Fully configured: 28.3 kg (62.2 lb) • Large form-factor expansion enclosure: • Empty: 16.4 kg (36.1 lb) • Fully configured: 26.7 kg (58.8 lb) • Small form-factor control enclosure: • Empty: 19.0 kg (41.8 lb) • Fully configured: 27.3 kg (60.0 lb) • Small form-factor expansion enclosure: • Empty: 16.7 kg (36.7 lb) • Fully configured: 25.0 kg (55.2 lb)	8.7 cm (3.4 in.) H x 48.3 cm (19.0 in.) W x 55.6 cm (21.9 in.) D Approximate weight: • Large form-factor control enclosure: • Empty: 18.0 kg (39.6 lb) • Fully configured: 28.3 kg (62.2 lb) • Large form-factor expansion enclosure: • Empty: 16.4 kg (36.1 lb) • Fully configured: 26.7 kg (58.8 lb) • Small form-factor control enclosure: • Empty: 19.0 kg (41.8 lb) • Fully configured: 27.3 kg (60.0 lb) • Small form-factor expansion enclosure: • Empty: 16.7 kg (36.7 lb) • Fully configured: 25.0 kg (55.2 lb)
Operating environment	Air temperature: Operating: 10°C - 35°C (50°F - 95°F) at 30.5 m below to 3,000 m above sea level (100 ft below to 9,840 ft above) Non-operating: -10°C - 50°C (14°F - 125°F) Relative humidity: Operating: 20% - 85% Non-operating: 8% - 80%	Air temperature: • Operating: 10°C - 35°C (50°F - 95°F) at 30.5 m below to 3,000 m above sea level (100 ft below to 9,840 ft above) • Non-operating: -10°C - 50°C (14°F - 125°F) Relative humidity: • Operating: 20% - 85% • Non-operating: 8% - 80%
Warranty	Hardware: • Three-year warranty with 9 to 5 next-business-day response • Tier 1 customer-replaceable units and onsite repairs • Warranty service upgrades available Post-warranty support available Customer setup (initial installation and field upgrades)	Hardware: • Three-year warranty with 9 to 5 next-business-day response • Tier 1 customer-replaceable units and onsite repairs • Warranty service upgrades available Post-warranty support available Customer setup (initial installation and field upgrades)
Operating environment	For a list of currently supported servers, operating systems, host bus adapters, clustering applications, and SAN switches and directors, refer to the IBM System Storage Interoperation Center at: ibm.com/systems/support/storage/config/ssic	For a list of currently supported servers, operating systems, host bus adapters, clustering applications, and SAN switches and directors, refer to the IBM System Storage Interoperation Center at: ibm.com/systems/support/storage/config/ssic
ISV solutions	For a list of high-quality solutions with IBM partner ISVs, including access to solution briefs and white papers, refer to the ISV Solutions Resource Library	For a list of high-quality solutions with IBM partner ISVs, including access to solution briefs and white papers, refer to the ISV Solutions Resource Library



Why IBM?

The Storwize family of data systems from IBM is known for providing efficient, highly functional, high-performance storage for any type of workload. Storwize solutions, customized for small, midsized, and larger organizations, are specifically designed to deliver performance in streamlined packages that are easy to deploy, easy to manage, and easy to grow.

For more information

For more information about the Storwize family of data systems, please contact your IBM representative or IBM Business Partner, or visit: ibm.com/storage/storwize

Additionally, IBM Global Financing provides numerous payment options to help you acquire the technology you need to grow your business. We provide full lifecycle management of IT products and services, from acquisition to disposition. For more information, visit: ibm.com/financing

IBM SystemsData Sheet



© Copyright IBM Corporation 2019.

IBM, the IBM logo, and ibm.com are trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at

https://www.ibm.com/legal/us/en/copytrade.shtml, and select third party trademarks that might be referenced in this document is available at https://www.ibm.com/legal/us/en/copytrade.shtml#se ction_4.

This document contains information pertaining to the following IBM products which are trademarks and/or registered trademarks of IBM Corporation: IBM®, ibm.com, IBM Storwize®, IBM Spectrum®, IBM Easy Tier®, IBM HyperSwap®, IBM PowerVM®, IBM FlashCopy®, IBM Cloud™

IEM.

VMware, the VMware logo, VMware Cloud Foundation, VMware Cloud Foundation Service, VMware vCenter Server, and VMware vSphere are registered trademarks or trademarks of VMware, Inc. or its subsidiaries in the United States and/or other jurisdictions.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.